



FIRE APPARATUS MOBILE WATER SUPPLY OPERATOR

PRACTICAL SKILLS CERTIFICATION EVALUATION PACKET (NFPA Standard 1002, 2014 Edition)

**Department of Public Safety
Alaska Fire Standards Council
5700 E. Tudor Road
Anchorage, Alaska 99507
(907)269-5052**

<https://dps.alaska.gov/AFSC/Home>

Revised August 2016

V14-160822

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

MOBILE WATER SUPPLY OPERATOR PRACTICAL SKILLS CORRELATION MAP			
CORE JOB PERFORMANCE REQUIREMENTS			
(NFPA 1002, 2014 Edition)			
Skill Sheet #	NFPA Section-	Tasks	Certification Examination Requirements: 1- Locally Verified 3- Mandatory
Practical Skills Completed at Department Level for Application Packet Review			
<u>MWSO 1</u>	10.1.1 (B)	Perform Routine Maintenance Document Routine Maintenance Operate All Fixed Systems	Dept. Verified
<u>MWSO 2</u>	10.2.1 (B)	Maneuver and Position Apparatus- Fill Site	Mandatory
<u>MWSO 3</u>	10.2.2 (B)	Maneuver and Position Apparatus- Dump Site	Mandatory
<u>MWSO 4</u>	10.2.3 (B)	Establish Shuttle Dump Site	Mandatory

Skill Sheet Packet Instruction

Purpose of the Skill Sheets

All skills listed in this packet are consistent with the 2014 edition of the NFPA 1002 Standard for Fire Apparatus Driver/Operator Professional Qualifications. The Alaska Fire Standards Council ([AFSC](#)) provides these skill sheets as the basis for Mobile Water Supply Operator testing and certification.

For certification purposes, the final skill examination will consist of a series of mandatory skill stations listed on the last page of this packet.

Description & Use

1. These skills sheets are designed for use by the Training Officer and Mobile Water Supply Operator candidate. Use of this packet throughout a training program will assist in verifying candidate competency and completion of the Mobile Water Supply operator Training Record.
2. For eligibility to complete the final certification examination, a candidate must demonstrate competency in all skills during training and satisfactorily compete all items on the Mobile Water Supply Operator training record document.
3. This packet is designed to encompass the requisite skills for Mobile Water Supply Operator these skill sheets are used for final testing and certification. Accreditation Managers/Training Officers and Mobile Water Supply Operator course instructors should utilize this evaluation packet during a course to prepare candidates for the certification exam. For a candidate's final skills evaluation, she or he must successfully perform each skill while being evaluated on performance competency by an AFSC examination representative.
4. The final skills examination will consist of skills selected from this packet. Skills are selected from the mandatory skills categories. This packet contains a list of all mandatory skills that are used for the final examination.
5. The Certifying Officer will notify candidates which skills they will be required to complete at the start of the practical skills portion on the date of the examination.
6. The completion of the Mobile Water Supply Operator Training Record establishes a candidate's eligibility to test. The Training Record document must be fully completed and signed by the Accreditation Manager/Training Officer or designee for each candidate before a candidate can begin the final skills examination. The Mobile Water Supply Operator Training Record and the practical skills evaluation sheets shall become a permanent part of the candidate's local training record, and this information shall be kept on file in accordance with local fire department procedures.

Grading Criteria

1. It is expected that all of the listed skill sheet elements will be taught and evaluated by the Mobile Water Supply Operator instructor throughout a course. During the final skills exam the candidate must be prepared to perform all the skills listed in this packet. There are no specific critical points designated within the practical skill sheets, and the Certifying Officer (CO) will require the candidate to repeat an individual practical skill station if *all* of the listed skill items on a selected sheet are not completed by the candidate.
2. This packet contains skill requirements that involve the demonstration of driver skills within simulated vehicle operation scenarios related to emergency response activities. When applicable, skill sheets specifically describe when simulated conditions are permitted for certification testing.
3. There are critical performance items that must be followed for satisfactory performance. Examples of unsatisfactory performance can include:
 - a. Exceeding limitations: time, safety, and equipment limitations
 - b. Inadequate/insufficient personal protective equipment (lack of seatbelt[s], etc)
 - c. Lack of skill accuracy and task completion as defined on the skill evaluation sheet

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

- d. Poor judgment in skill performance (i.e.- improper vehicle operation or equipment/safety violation)
- e. Failure to appropriately apply basic driver knowledge (speeding or violation of traffic laws)
- f. Not competent in the specified task or skill steps
- g. Outcome of the specified task is in doubt (i.e.- incorrectly performed or did not accomplish skill evaluation criteria)
- h. Need for Evaluator intervention (i.e.- imminent health or safety risk to candidate or others)
- i. Failure to adhere to basic safety principles or guidelines

Artificialities of Training and Testing

Training and testing for at this level can only approximate the on-the-job activities of a Mobile Water Supply Operator. There are certain artificialities to training and testing that the candidate must be able to adapt to. Simulations during the final examination are often necessary to complete the required practical skill scenarios. For the best possible outcome during final skills examination the Mobile Water Supply Operator course instructor must prepare the candidates to competently perform these skills under a variety of conditions.

Final Skills Evaluation

The AFSC designated Certifying Officer (CO) shall conduct the final evaluation and will utilize the practical skills evaluation sheets during the examination process. The CO has the overall test site authority and is required to perform his or her duties as outlined in the [Certifying Officer Manual](#).

For preparation of the final examination the designated CO must coordinate with the Accreditation Manager/Training Officer, or designee, to ensure an adequate test site location is available. The Accreditation Manager/Training Officer is responsible for preparation of all test site equipment/materials and arranging designated evaluators for the date of the practical examination. The CO must verify that all required elements are adequate for testing and will approve all designated Evaluators. Designated Evaluators shall receive training appropriate for the test site and are required to complete an [Evaluator Code of Ethics Compliance](#) agreement before testing begins.

The CO shall verify completion of the final skills examination packet, and the packet will be attached to the Mobile Water Supply Operator Training Record as part of the candidate's permanent local training record.

Prerequisite Certification Requirements

For eligibility to certify at the Mobile Water Supply Operator level, candidates must:

- *Meet all criteria for Driver Operator
- *Provide evidence of completion of Driver Operator skills while operating a fire department Mobile Water Supply apparatus, as defined in section 4.2-4.7
 - *Conduct Driver Operator skills while operating a Mobile Water Supply apparatus and attach completed Driver Operator Training Record*

Additional Notes:

1. During the final practical examination it is expected that appropriate personal protective equipment (PPE) shall be worn for all skill stations, unless otherwise indicated within the skill evaluation sheet. When appropriate, candidates shall don *all* PPE appropriate for the scenario to maintain on-the-job conditions.
2. During some scenarios a candidate may be instructed to perform other Mobile Water Supply Operator tasks not directly related to the specific skill sheet evaluation being tested. It is expected that the candidate shall perform all related skills correctly.
3. Some skills may include a time limit. An Evaluator may use a digital or analog watch/stopwatch for final skills evaluation. Prior to the start of the practical examination, the CO must inspect and approve all timing devices used during final skills evaluations.
4. Some skills require that equipment be prepared or assembled within the final skills examination. Unless otherwise indicated, it is permissible for the candidate to prepare or assemble the required equipment or devices at any time, provided that this does not interfere with the core skill, task, or evolution.
5. Candidates must be prepared to complete skills under a variety of conditions. Training and skills practice is often done during optimum conditions, but candidates must be prepared to adapt to changing conditions that can occur in on-the-job situations.
6. Candidates must identify and respond quickly and appropriately to equipment malfunctions, improper application of tool usage, or other changes within a given scenario. The Evaluator ultimately determines if the candidate has met the criteria specified on the skill(s) being evaluated.
7. For final examination, the performance of a skill, task, or evolution is not required to be done in the exact order of the steps (as outlined on the skill sheet), unless it is critical to a particular task. For example, a person must secure a safety restraint device before driving an apparatus.
8. Some skills may require that a candidate verbalizes information about a particular task or procedure. In such cases, any question(s) from the Evaluator to the candidate must be limited to those that satisfy the criteria listed on the skill sheet, and a question cannot exceed the scope the Mobile Water Supply Operator requirements.

Mobile Water Supply Operator Final Written and Practical Examinations

Following is a brief outline of the reference materials and documents that are used for a Mobile Water Supply Operator final examination:

Mobile Water Supply Operator Examination References

- a. NFPA 1002 Standard for Fire Apparatus Driver/Operator Professional Qualifications, 2014 edition
- b. Text (any one of the following)
 - IFSTA, *Pumping and Aerial Apparatus Driver/Operator Handbook*, 3rd Edition
 - Jones and Bartlett *Fire Apparatus Driver/Operator: Pump, Aerial, Tiller, and Mobile Water Supply*, 2nd Edition
- c. Mobile Water Supply Operator Practical Skills Evaluation Sheets (*this packet*)

Final Examination Steps

- a. *Driver Operator Training Record review (*this must be completed while operating a Mobile Water Supply Apparatus and signed off by the **Accreditation Manager/Training Officer or designee** prior to the date of the final examination and reviewed by the CO to ensure all elements are complete.*)
- b. *Mobile Water Supply Operator Training Record review (*this must be completed and signed off by the **Accreditation Manager/Training Officer or designee** prior to the date of the final examination and reviewed by the CO to ensure all elements are complete.*)
- c. Certifying Officer reviews and signs candidate Application for Certification
- d. Candidate completes the written examination administered by the CO
- e. Candidate completes the practical examination administered by the CO.
- f. Certifying Officer reviews completed Evaluator skill sheets and transfers information to the [Practical Examination Reporting Form](#) (PERF)
- g. Written exam, PERF, and signed application are forwarded to AFSC.
- h. AFSC Mobile Water Supply Operator certificate is issued upon successful completion of the written and practical exam (*within approximately 30 days of test date*)

**Note: The candidate's completed Training Record and signed Final Examination skill sheets shall be placed in the candidate's local training file in accord*

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

NFPA 1002- 2014 Ed.

PRACTICAL SKILL REQUIREMENTS

MWSO- 1a

Candidate:	Date:
-------------------	--------------

STANDARD: NFPA 1002: 10.1.1.	SKILL AREA: Perform Routine Tests
-------------------------------------	--

TASK 10.1.1: Perform the routine tests, inspections, and servicing functions specified in the following list, so that the operational status of the mobile water supply apparatus is verified.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: use hand tools and equipment; recognize system problems; correct any deficiency noted in accordance with policies and procedures; deploy, energize, and monitor the system or equipment and to recognize and correct system problems; and complete all related departmental forms.

EQUIPMENT: Fire mobile water supply apparatus, department policies and procedures (SOP/SOG), forms/reports, maintenance log book/record, notepad or clipboard, and radio unit.

CONDITIONS: Given a fire department mobile water supply apparatus and its manufacturer’s specifications and maintenance inspection forms, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST 1		RETEST 2	
		P	F	P	F	P	F
	Perform routine tests, inspections and/or service functions on the following:						
1.	• Battery(ies)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	• Braking system	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	• Coolant system	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	• Electrical system	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	• Fuel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	• Hydraulic fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.	• Oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	• Tires	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.	• Steering system	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.	• Belts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.	• Tools, appliances, and equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.	Verify operational level of water tank and other extinguishing agent levels (if applicable)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13.	Verify operation of pumping systems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14.	Verify operation of rapid dump systems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15.	Verify operation of foam systems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16.	Deploy, energize and monitor fixed equipment not otherwise specified (i.e. generators, floodlights, air compressors, etc)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17.	Appropriately recognize equipment/system problems or deficiencies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18.	Correct any found deficiencies, or document /report them in accordance with departmental procedures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19.	Complete inspection reports and all related vehicle maintenance forms in accordance with departmental procedures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

NFPA 1002- 2014 Ed.

PRACTICAL SKILL REQUIREMENTS

MWSO- 1b

Evaluator:		<i>Retest Evaluator 1:</i>	
		<i>Retest Evaluator 2:</i>	
Comments:			

Certifying Officer Name

Date

Overall Skill Sheet Result:

Pass (P): **Fail (F):**

Certifying Officer Signature

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

NFPA 1002- 2014 Ed.

PRACTICAL SKILL REQUIREMENTS

MWSO- 2

Candidate:	Date:
-------------------	--------------

STANDARD: NFPA 1002: 10.2.1(B)	SKILL AREA: Maneuver and Position Apparatus-Fill Site
---------------------------------------	--

TASK 10.2.1: Maneuver and position a mobile water supply apparatus at an established water shuttle fill site, so that the apparatus is correctly positioned, supply hose are attached to the intake connections without having to stretch additional hose, and no objects are struck at the fill site.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to determine a correct position for the apparatus, maneuver apparatus into that position, and avoid obstacles to operations. The intent of this requirement is for the driver/operator to be able to quickly and efficiently position the vehicle at a water shuttle fill site that has been established prior to the vehicle's arrival.

EQUIPMENT: Department policies and procedures (SOP/SOG), fire hose supply line (min. 2 1/2"), fire mobile water supply apparatus, hose tools and appliances, hard suction hose with strainer, hose tools and appliances, radio unit., and water transfer equipment.

CONDITIONS: Given a fire department mobile water supply apparatus, a fill site location and one or more supply hose,, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST 1		RETEST 2	
		P	F	P	F	P	F
1.	Appropriately position the mobile water apparatus at the fill site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	Correctly deploy and assemble hose lines and appliances needed to complete task	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	Identify water tank intake and connects hose/appliances correctly (as applicable)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	Open the appropriate valve(s) for the intake connections	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	Fills water tank of apparatus from the site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	Closes the appropriate valve(s) for the intake connections	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.	Disconnects the intake supply lines and properly places them for the next fill operation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	Avoids obstacles at site with apparatus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.	Perform all operations in a safe manner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Evaluator:		<i>Retest Evaluator 1:</i>	
		<i>Retest Evaluator 2:</i>	
Comments:			

Certifying Officer Name

Certifying Officer Signature

Date

<u>Overall Skill Sheet Result:</u>
Pass (P): <input type="checkbox"/> Fail (F): <input type="checkbox"/>

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

NFPA 1002- 2014 Ed.

PRACTICAL SKILL REQUIREMENTS

MWSO- 3

Candidate:	Date:
-------------------	--------------

STANDARD: NFPA 1002: 10.2.2(B)	SKILL AREA: Maneuver and Position Apparatus-Dump Site
---------------------------------------	---

TASK 10.2.2: Maneuver and position a mobile water supply apparatus at an established water shuttle dump site, so that all of the water being discharged from the apparatus enters the portable tank and no objects are struck at the dump site.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to determine a correct position for the apparatus, maneuver apparatus into that position, avoid obstacles to operations, and operate the fire pump or rapid water dump system. The intent of this requirement is for the driver/operator to be able to quickly and efficiently position the vehicle at a water shuttle dump site that has been established prior to the vehicle's arrival.

EQUIPMENT: Department policies and procedures (SOP/SOG), fire hose supply line (min. 2 ½"), fire mobile water supply apparatus, hose tools and appliances, hose tools and appliances, portable water tanks (two or more), radio unit, and water transfer equipment.

CONDITIONS: Given a fire department mobile water supply apparatus and an established dump site location, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST 1		RETEST 2	
		P	F	P	F	P	F
1.	Appropriately position the pumper at the dump site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	Identify water tank discharge and correctly engage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	Operate pump or rapid water dump system valve correctly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	Discharge all available water in tank (<i>or as directed for scenario</i>)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	Closes the appropriate valve(s) and/or shuts-down water dump discharge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	Restore the apparatus to the road operation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.	Avoids obstacles at site with apparatus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	Perform all operations in a safe manner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Evaluator:		<i>Retest Evaluator 1:</i>	
		<i>Retest Evaluator 2:</i>	

Comments:	
------------------	--

Certifying Officer Name

Certifying Officer Signature

Date

<u>Overall Skill Sheet Result:</u>
Pass (P): <input type="checkbox"/> Fail (F): <input type="checkbox"/>

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

NFPA 1002- 2014 Ed.

PRACTICAL SKILL REQUIREMENTS

MWSO- 4

Candidate:	Date:
-------------------	--------------

STANDARD: NFPA 1002: 10.2.3(B)	SKILL AREA: Establish Shuttle Dump Site
---------------------------------------	--

TASK 10.2.3: Establish a water shuttle dump site, so that the tank being drafted from is kept full at all times, the tank being dumped into is emptied first, and the water is transferred efficiently from one tank to the next.

PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to deploy portable water tanks, connect and operate water transfer equipment, and connect a strainer and suction hose to the fire pump.

EQUIPMENT: Department policies and procedures (SOP/SOG), fire hose supply line (min. 2 ½”), fire mobile water supply apparatus, hose tools and appliances, hard suction hose with strainer, hose tools and appliances, low-level strainers, portable water tanks (two or more), radio unit., and water transfer equipment.

CONDITIONS: Given a fire department pumper, mobile water supply apparatus, equipment, and personnel, the candidate shall demonstrate the ability to:

No.	TASK STEPS	TEST		RETEST 1		RETEST 2	
		P	F	P	F	P	F
1.	Identify and appropriate location of water shuttle dump site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	Prepare and direct set up two portable water tanks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	Identify and direct set up of the hard tube and low level strainer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	Identify and direct set up hose and appliances necessary for portable water tank transfer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	Correctly operate the apparatus pump for drafting and water transfer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	Establishes rotation of apparatus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.	Conduct water drafting operations while maintaining an adequate drafting tank level at all times	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	Perform all operations in a safe manner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Evaluator:		<i>Retest Evaluator 1:</i>	
		<i>Retest Evaluator 2:</i>	

Comments:	
------------------	--

<i>_____</i> Certifying Officer Name	<i>_____</i> Date
<i>_____</i> Certifying Officer Signature	

<u>Overall Skill Sheet Result:</u>
Pass (P): <input type="checkbox"/> Fail (F): <input type="checkbox"/>

MOBILE WATER SUPPLY PRACTICAL SKILLS EVALUATION PACKET

FIRE APPARATUS MOBILE WATER SUPPLY REQUIRED EQUIPMENT/MATERIAL			Related Skill Sheet(s)
<input type="checkbox"/>	1	AHJ forms/reports	All
<input type="checkbox"/>	2	Appropriate personnel protective equipment	All
<input type="checkbox"/>	3	Fire hose supply line (minimum 2 ½")	2, 3, 4
<input type="checkbox"/>	4	Hard suction hose with strainer	2, 4
<input type="checkbox"/>	5	Hose tools and appliances	2, 3, 4
<input type="checkbox"/>	6	Low level strainers (for drafting in portable tank)	4
<input type="checkbox"/>	7	Maintenance log book/record	1
<input type="checkbox"/>	8	<u>NFPA 1002: Standard for Fire Apparatus Driver/Operator Professional Qualifications</u>	All
<input type="checkbox"/>	9	<u>NFPA 1500:Standards on Occupational Safety and Health Program</u>	All
<input type="checkbox"/>	10	Notebook/Clipboard	1
<input type="checkbox"/>	11	Portable water tanks (minimum of two)	3, 4
<input type="checkbox"/>	12	Radio unit	All
<input type="checkbox"/>	13	Standard Operating Procedures (SOP)/Standard Operating Guidelines (SOG)	All
<input type="checkbox"/>	14	Water transfer equipment (for drafting/dumping operations)	2, 3, 4
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			

FIRE APPARATUS MOBILE WATER SUPPLY REQUIRED FACILITY/APPARATUS CHECKLIST			Related Skill Sheet(s)
<input type="checkbox"/>	1	Relay/pump operations area (minimum 100' X 50')	3,4
<input type="checkbox"/>	2	Fire mobile water supply apparatus: <ul style="list-style-type: none"> • equipped with appropriate safety restraints (seatbelts) • water tank • pumping system • water dump valves/rapid dump system 	3/4
<input type="checkbox"/>	3	Maintenance area/fire station bay	1
<input type="checkbox"/>	4	Static water source/fill site access	2, 4
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			